

Lecmax
KOREA DOOR

Premium Products



www.lecmax.com

Lecmax
KOREA DOOR

- AN TOÀN
- SANG TRỌNG
- PHONG CÁCH
- ĐA DẠNG
- THÂN THIỆN

- PAINTING DOOR
- MULTI COLOR DOOR
- LUXURY DOOR



PAINTING DOOR



Standard Size
W (900, 1000, 1100) x H (2000, 2100, 2200)



LM - KOREA PT01



LM - KOREA PT02



LM - KOREA PT03



LM - KOREA PT04

LM - KOREA PT05



LM - KOREA PT08

LM - KOREA PT09



LM - KOREA PT06

LM - KOREA PT07



LM - KOREA PT10

LM - KOREA PT11




PAINTING DOOR



LM - KOREA PT12



LM - KOREA PT13



LM - KOREA PT14



LM - KOREA PT15



LM - KOREA PT16



LM - KOREA PT17



LM - KOREA PT20



LM - KOREA PT21



LM - KOREA PT18



LM - KOREA PT19



LM - KOREA PT22




LM - KOREA PT23




LM - KOREA PT24



LM - KOREA PT25



LM - KOREA PT28




LM - KOREA PT29



LM - KOREA PT26



LM - KOREA PT27



LM - KOREA PT30



LM - KOREA PT31



LM - KOREA PT32

LM - KOREA PT33



LM - KOREA PT36

LM - KOREA PT37



LM - KOREA PT34

LM - KOREA PT35



LM - KOREA PT38

LM - KOREA PT39



MULTI COLOR DOOR


Standard Size
W (900, 1000, 1100) x H (2000, 2100, 2200)



LM - KOREA MT01



LM - KOREA MT02



LM - KOREA MT03




LM - KOREA MT04



LM - KOREA MT05




LM - KOREA MT06



LM - KOREA MT09



LM - KOREA MT10



LM - KOREA MT07



LM - KOREA MT08



LM - KOREA MT11



LM - KOREA MT12




MULTI COLOR DOOR



LM - KOREA MT13



LM - KOREA MT14



LM - KOREA MT15



LM - KOREA MT16



LM - KOREA MT17

LM - KOREA MT18



LM - KOREA MT21

LM - KOREA MT22



LM - KOREA MT19

LM - KOREA MT20



LM - KOREA MT23

LM - KOREA MT24



LM - KOREA MT25

LM - KOREA MT26




LM - KOREA MT29

LM - KOREA MT30



LM - KOREA MT27

LM - KOREA MT28



LM - KOREA MT31

LM - KOREA MT32



DECOR DOOR




Standard Size
W (900, 1000, 1100) x H (2000, 2100, 2200)



LM - KOREA DC01



LM - KOREA DC02



LM - KOREA DC03



LM - KOREA DC04



LM - KOREA DC05



LM - KOREA DC06



LM - KOREA DC09



LM - KOREA DC10



LM - KOREA DC07



LM - KOREA DC08



LM - KOREA DC11



LM - KOREA DC12



LUXURY DOOR


Standard Size
W (900, 1000, 1100) x H (2000, 2100, 2200)



LM - KOREA LX01




LM - KOREA LX02



LM - KOREA LX03



LM - KOREA LX04





LUXURY DOOR


Standard Size
W (900, 1000, 1100) x H (2000, 2100, 2200)



LM - KOREA LX05



LM - KOREA LX06



LM - KOREA LX07




LM - KOREA LX08



LM - KOREA LX09



LM - KOREA LX10



LM - KOREA LX14



LM - KOREA LX15




LM - KOREA LX11



LM - KOREA LX12




LM - KOREA LX13



LM - KOREA LX16



LM - KOREA LX17




STANDARD SIZE:

Leaf thickness	45	
Leaf steel thickness	0.7 - 1.6	
Frame depth	110	
Frame steel	1.2 - 1.6	
Materials	Honey combpaper	

STANDARD SIZE:

Width	900, 1000, 1100, 1200
Height	2000, 2100, 2200, 2400




CONVENTION OPENING DIRECTION



Soundproofing function:

Due to using the special soundproofing materials, the door frame is fitted with soundproofing rubber gaskets so that the soundproofing function of the door is ensured and perfect.



Heatproofing function - anti waterproof:

Due to in the winter, the temperature get down, so to avoid water in the door and mold around the door the manufacturer applies heatproofing function and anti waterproof for the leaf door and the frame door, thereby maintaining comfortable indoor space.




New design:

The design uses modern and useful material, so when installed it will be very suitable for the interior of the apartment.

The soundproof lining:

Fastened to the door frame, it further enhances the sound insulation, smoke resistance functions.



Embo EGI material:

1) General

The galvanized steel is used by using zinc coating on the surface of cold-rolled steel sheets (CR) of galvanized steel, using the anticorrosion electrolyte currents, although less in coatings than galvanized steel, uniform coating, smooth and beautiful surface, due to not affected by the heat during the coating should maintain the durability.

2) Features

- In the process of plating, the crust is not shattered, so the quality does not change even when outsourcing or compressing the product.
- Steel plates are used for a variety of purposes because zinc is coated evenly in accordance with the principle of electroplating so that the surface is beautiful, and the adhesion is good.


3) Using

This product can be used for apartment doors and household products.



Real Hairline:

Due to its is color painted and thin line on the steel plate, it not only describes the appearance of stainless steel, but also has a wide variety of colors. By process Hairline, the surface of the product like stainless steel and the color of the product is very luxurious.



OUTSOURCING MATERIALS PROCESSING C.N.F





Lecmax
KOREA DOOR



Lecmax

Hà Nội: Tầng 28, tòa nhà Ellipse, số 110 Trần Phú, Hà Đông, Hà Nội

Tel: (+84) 24 7301 2678 * Fax: (+84) 24 3354 5267

HCM: Số 25, Đường số 3, Khu phố 6, P. Trường Thọ, Thủ Đức, HCM

Tel: (+84) 28 3894 1836 * Fax: (+84) 28 3894 1845

Nhà Máy: Lô D, KCN Châu Sơn, Tp. Phủ Lý, tỉnh Hà Nam